# &hiti



# **Bring Your Business Anywhere**

# HITI P510s

6-inch Standalone Roll-type Photo Printer





















10-bit Color Engine













Light-weight Design

Standalone Operation

# Light-weight 6-inch Roll-type Photo Printer

Weighing less than 14kg, the HiTi P510S is the 6-inch standalone roll-type photo printer combining light-weight, high printing speed, and high media capacity in one product. Designed for professional users, the P510S gives you the flexibility to do on-location photo finishing.

# Standalone Capability and User-Friendly Workflow

## **Standalone Operation (No Computer Required)**

Utilizing a graphic user interface on a 3.6-inch LCD, it is very easy to operate HiTi P510S printer without the need of a computer.

#### **Customized Photo E-Frame**

HiTi P510S enables users freely to add customized photo e-frame from the backstage system to provide value-added holiday or event prints.

## **Useful Storage Design**

With a built-in storage device, P510S is able to store several photo e-Frame and ID formats to satisfy varied printing needs.

# Printer Connectivity

Through an USB cable, HiTi P510S can be connected to HiTi P510K Mini Photo Station and as its slave printer. This function can be enabled simply by setting up the backstage system, and users are able to print photo in various sizes without constantly changing the consumables. Extending your photo printing experience more flexible and comprehensive is powered by the solution.

# **Bring Your Photofinishing Anywhere** HITTI P5105 Photo Printer

# Practical Software/Utilities

### **eFrame Converter**

eFrameConverter is a dedicated utility/tool for user to convert TIFF files into HiTi designated eFrame formats. You design the eFrame, then use eFrame Converter to change the TIFF design into the specific file formats the HiTi P510S printer can read.

#### **EventDésirée Deluxe**

Designed for event business, the software is especially for users who want to print a large quantity of photos under limited time period. By applying EventDésirée Deluxe, it is so much easier to convert JPEG files into HiTi designated event template formats and make great quantity of photo printing.

#### **ID** Creator

Designed for Passport/ID photo users. You can easily design multiple ID formats in a few simple steps and then load them to the printer for further use.

#### **IDQuickDésirée**

PC-based software gives users the ability to print Passport/ID photos.
















# World Leading Output Quality

### **10-bit Color Engine**

By adding an all-new OEE II image processor, HiTi is leading the industry in providing 10-bit deep color performance and unparalleled RGB-Level.



#### Powered by HiTi Color


HiTi Color Technology, a HiTi exclusive color management system, has won 8 DIMA awards and is acclaimed by photographic professionals from around the world.



# Durable and Convenient Design

## Improved Dust-proof Housing

The Thermal Printing Head of the P510S printer is protected by an integrated dust cover, efficiently reducing contamination.





### Lower Power Consumption

HiTi P510S photo printer delivers industry-leading performance and consumes less power. The total power consumption of HiTi P510S is about 300W, and less than 20W as printer is idling.

# User-Friendly Workflow -

## 2-Click to Print

With less clicks and intuitive user-interface design, printing a photo can be a much easier and faster experience.


# Hot Key Design for Switching the Printing Modes

P510S offers 3 different printing modes specially designed for making Event Photo, ID Photo and Personalized Photo. With hot key design, it is easy and convenient to switch the printing modes.



## - Easy Replacement of Consumables -

The front loading design of the HiTi P510S printer allows for easy access to the ribbon and paper roll resulting in easy and efficient maintenance procedures.




## Prime Quality in Matte Finish\*

Apart from glossy photos, HiTi P510S is capable of matte finish. No media change required!

## Varied Printing Formats in 1Machine

HiTi P510S offers users the versatility to print various photo sizes, including 4"x6", 4"x6"-2UP, 5"x7", 5"x7"-2UP, 6"x8", 6"x9", and 6"x9"-2UP.\*\*

\* For current HiTi 5 series' users, the latest firmware and driver should be updated to the printer before starting.
\*\* 2UP function should be operated from printer driver by PC or notebook.



# ▶ P510s

# ► Specifications

Model Name	HiTi P510S
Printing Method	Dye Diffusion Thermal Transfer (D2T2 Technology)
Resolution	300 x 300 dpi
Print Size & Capacity*	4" x 6" (102 x 152 mm): 330 prints 5" x 7" (127 x 177 mm): 190 prints 6" x 8" (152 x 203 mm): 150 prints 6" x 9" (152 x 229 mm): 150 prints 4" x 6" -2UP 5" x 7" -2UP 6" x 9" -2UP
Printing Speed**	Around 12 seconds (4x6 prints)
Display	3.6-inch TFT LCD
Input Media	CF & Micro Drive / SD (SDHC) /MS / MS Pro / USB Pen Drive
Standalone Operation	Yes
eFrame Function	Yes
Bundled Software	ID Creator eFrame Converter IDQuickDésirée EventDésirée Deluxe (For Windows PC only)
Operation System	Windows 2000/ XP/ Vista, Windows 7, Mac OS 10.2, 10.3, 10.4, 10.5 and 10.6
Power Requirement	AC 100 V~240 V, 50 / 60 Hz
Power Consumption	Total power consumption: approx. 300W Standby power consumption: less than 20W
Operation Condition	15°C ~ 32°C / 59°F ~ 90°F; 20 ~ 75% non-condensing
Dimension	392 x 298 x 245 mm (15.4 x 11.9 x 9.7 inches)
Weight	13.6 kg (30 lbs)

\* 2UP function should be operated from printer driver by PC or notebook.

\*\* Under the conditions of HiTi laboratory testing.

## Dimension



## Service & Support Centers

#### Taiwan (Headquarters)

HiTi Digital, Inc. 9F, No.225, Sec. 3, Beixin Rd., Xindian Dist., New Taipei City 231, Taiwan Tel: +886-2-2912-6268 Fax: +886-2-2912-6118 www.hiti.com

#### Europe · Russia

HiTi Digital Europe B.V. Ekkersrijt 1331, 5692 AJ Son, The Netherlands Tei: +31 4.99.46.28.60 Fax: +31 4.99.46.12.99 www.hit.com

#### **North America**

HiTi Digital America, Inc. 727 Brea Canyon Rd. Suite#2 Walnut, CA 91789, USA Tei: +1-909-594-0099 Fax: +1-909-598-0011 www.hiti.com/us

#### Latin America

HiTi Digital, Inc. (Mexico) Agustin Gonzalez de Cossio No. 1-202 Col. Del Valle, C.P. 03100, Mexico, D. F. Mexico TEL: +52-55-0253671, +52-55-50253672 FAX: +52-55-11076206 www.hiti.com/latinamerica

#### Middle East · Africa

HiTi Digital, Inc. MEA Office No. 1608, Indigo Icon Tower, JLT, Dubai - U.A.E. Tel: +971-4-3674547 Fax: +971-4-3674221 www.biti.com

## Consumables


### P510 Series



#### P510 Series



## P510 Series



# hiti HiTi Digital, Inc.

- ▲ © 2012 HiTi Digital, Inc. All Rights Reserved.
- ▲ Microsoft Windows and Vista are trademarks of Microsoft Corporation. Mac OS is a trademark of Apple Inc. All other trade names and trademarks are property of their respective owners.
- ▲ Specifications are subject to change without prior notice.